

# Feed on Offer Photo Library

Use in conjunction with the Lifetime Ewe Management feed budgeting tables available at [lifetimewool.com.au](http://lifetimewool.com.au)



## Cereal crop FOO values

Grazing cereals is common in many regions. The following relationships between Green cereal height and the FOO values have been supplied by the Grain and Graze project. Full details of grazing and use of cereals by livestock can be found at [www.grainandgraze2.com.au](http://www.grainandgraze2.com.au)

If the crop is less than 25 cm tall, sown at 17.5 cm spacing, use the relationship below between crop type, height and yield. For all green cereals, the energy content is usually 11-12 MJ/kg (72-78% Digestibility).

Wheat:	Each 1 cm = 60 kg/ha, Feed on Offer	For 15 cm rows add 10% to the FOO values.
Barley:	Each 1 cm = 75 kg/ha, Feed On Offer	For 20 cm rows reduce the FOO values by 10%.
Triticale:	Each 1 cm = 65 kg/ha, Feed On Offer	

## Lifetime Ewe Management

The FOO Library was developed by Australian Wool Innovation and the Rural Industries Skills Training Centre to help people undertaking the Lifetime Ewe Management course. Further details can be found at;

Australian Wool Innovation: [www.wool.com](http://www.wool.com)

RIST Centre: [www.rist.com.au](http://www.rist.com.au)

Lifetime Ewe Management: [www.rist.com.au/lifetime\\_ewe\\_management](http://www.rist.com.au/lifetime_ewe_management)

## FOO Library Collaborators

The FOO Library project was established and managed by Geoffrey Saul, PSA Services Hamilton. Darren Gordon, Coordinator of Lifetime Ewe Management managed interaction between RIST, Lifetime Ewe and the Library. Assistance and comments were provided by Anita Morant, Kirsty Kennedy and Tim Prance.

Many public and private research and extension officers across Australia assisted in the project including:

Victoria; Margaret Raeside, Steve Clark, Lisa Warn, Anita Morant, Meredith Mitchell, Ken Wilson

New South Wales; Luke Harrison, Ben Watts, Sue Boschma, Garry Armstrong

Queensland; David Counsell

Western Australia; Eric Dobbe, Rodger Bryant, Matthew Young, Jonathon England, Mandy Curnow, Mike Hyder

South Australia; Tim Prance, Daniel Schuppan

AWI, RIST, Lifetime Ewe Management, PSA Services and the individual officers who provided photos and data for the library, accept no liability whatsoever by reason of negligence or otherwise arising from the use of or release of this information or any part of it.




Lifetime Ewe Management






Lifetime Ewe Management - FOO Library Results  
Vic Cool Temperate High FOO photos

37LW-IMG3375




	Green	Dead
Feed On Offer (kg/ha):	1,100	1,400
Digestibility (%):	61	36
Equivalent to		
Metabolizable Energy (MJ/kg):	8.9	4.5
Sheep Intake (MJ/day):	6.6	
50kg dry, Condition score 3		
Crude Protein (%):	21	10.9
Pasture Height (cm):	2.5	1.5
Ground Cover (%):	100	
Legume (%):	30	
State:	VIC	
Location:	North Central	
Climate Zone:	Cool Temperate	
Major Species:	Phalaris	

Comments	Low & Medium Dead samples combined for FEEDTEST
----------	---

38LW-IMG3374



	Green	Dead
Feed On Offer (kg/ha):	1,200	2,400
Digestibility (%):	63	37
Equivalent to		
Metabolizable Energy (MJ/kg):	9.2	4.8
Sheep Intake (MJ/day):	9	
50kg dry, Condition score 3		
Crude Protein (%):	19	8.1
Pasture Height (cm):	4	6.0
Ground Cover (%):	100	
Legume (%):	20	
State:	VIC	
Location:	North Central	
Climate Zone:	Cool Temperate	
Major Species:	Phalaris	


Comments	
----------	--



Lifetime Ewe Management - FOO Library Results  
Vic Cool Temperate High FOO photos

39LW-IMG3388




	Green	Dead
Feed On Offer (kg/ha):	1,300	2,000
Digestibility (%):	72	37
Equivalent to		
Metabolizable Energy (MJ/kg):	10.8	4.8
Sheep Intake (MJ/day):	13	
50kg dry, Condition score 3		
Crude Protein (%):	19	8.1
Pasture Height (cm):	6	6.0
Ground Cover (%):	100	
Legume (%):	0	
State:	VIC	
Location:	North Central	
Climate Zone:	Cool Temperate	
Major Species:	Phalaris	

Comments	
----------	--

42LW-IMG3401



	Green	Dead
Feed On Offer (kg/ha):	1,800	550
Digestibility (%):	76	57
Equivalent to		
Metabolizable Energy (MJ/kg):	11.4	8.2
Sheep Intake (MJ/day):	15	
50kg dry, Condition score 3		
Crude Protein (%):	22	13.3
Pasture Height (cm):	5	1.0
Ground Cover (%):	100	
Legume (%):	10	
State:	VIC	
Location:	North Central	
Climate Zone:	Cool Temperate	
Major Species:	Perennial ryegrass	


Comments	High & Very High Dead samples combined for FEEDTEST
----------	---



Lifetime Ewe Management - FOO Library Results  
Vic Cool Temperate High FOO photos

43LW-IMG3406




	Green	Dead
Feed On Offer (kg/ha):	2,000	600
Digestibility (%):	80	57
Equivalent to		
Metabolizable Energy (MJ/kg):	12.2	8.2
Sheep Intake (MJ/day):	16	
50kg dry, Condition score 3		
Crude Protein (%):	23	13.3
Pasture Height (cm):	8	3.0
Ground Cover (%):	100	
Legume (%):	5	
State:	VIC	
Location:	North Central	
Climate Zone:	Cool Temperate	
Major Species:	Perennial ryegrass	

Comments	High & Very High Dead samples combined for FEEDTEST
----------	---

46Vic-LTE1100



	Green	Dead
Feed On Offer (kg/ha):	1,100	150
Digestibility (%):	78	55
Equivalent to		
Metabolizable Energy (MJ/kg):	12.4	8.0
Sheep Intake (MJ/day):	13	
50kg dry, Condition score 3		
Crude Protein (%):	25	12.0
Pasture Height (cm):	2	1.0
Ground Cover (%):	97	
Legume (%):	15	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Perennial ryegrass	


Comments	
----------	--



Lifetime Ewe Management - FOO Library Results  
Vic Cool Temperate High FOO photos

47Vic-LTE1300




	Green	Dead
Feed On Offer (kg/ha):	1,300	150
Digestibility (%):	78	55
Equivalent to		
Metabolizable Energy (MJ/kg):	12.4	8.0
Sheep Intake (MJ/day):	14.4	
50kg dry, Condition score 3		
Crude Protein (%):	25	12.0
Pasture Height (cm):	2.5	2.0
Ground Cover (%):	100	
Legume (%):	15	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Perennial ryegrass	

Comments	
----------	--

48Vic-LTE1500



	Green	Dead
Feed On Offer (kg/ha):	1,500	150
Digestibility (%):	80	55
Equivalent to		
Metabolizable Energy (MJ/kg):	12.8	8.0
Sheep Intake (MJ/day):	15	
50kg dry, Condition score 3		
Crude Protein (%):	25	12.0
Pasture Height (cm):	3	2.0
Ground Cover (%):	100	
Legume (%):	15	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Perennial ryegrass	


Comments	
----------	--



Lifetime Ewe Management - FOO Library Results  
Vic Cool Temperate High FOO photos

49Vic-LTE1700




	Green	Dead
Feed On Offer (kg/ha):	1,700	200
Digestibility (%):	80	55
Equivalent to		
Metabolizable Energy (MJ/kg):	12.8	8.0
Sheep Intake (MJ/day):	15	
50kg dry, Condition score 3		
Crude Protein (%):	25	12.0
Pasture Height (cm):	4	2.0
Ground Cover (%):	100	
Legume (%):	15	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Perennial ryegrass	

Comments	
----------	--

504WintEGChicory1300



	Green	Dead
Feed On Offer (kg/ha):	1200	100
Digestibility (%):	82	27
Equivalent to		
Metabolizable Energy (MJ/kg):	12.4	3
Sheep Intake (MJ/day):	13.8	
50kg dry, Condition score 3		
Crude Protein (%):	25	4
Pasture Height (cm):	3	0.5
Ground Cover (%):	100	
Legume (%):	2	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Chicory	


Comments	Photos and dat supplied by EverGraze project
----------	--



Lifetime Ewe Management - FOO Library Results  
Vic Cool Temperate High FOO photos

505WintEGChicory1500




	Green	Dead
Feed On Offer (kg/ha):	1300	200
Digestibility (%):	82	27
Equivalent to		
Metabolizable Energy (MJ/kg):	12.4	3
Sheep Intake (MJ/day):	13.8	
50kg dry, Condition score 3		
Crude Protein (%):	25	4
Pasture Height (cm):	3	1
Ground Cover (%):	100	
Legume (%):	5	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Chicory	

Comments	Photos and dat supplied by EverGraze project
----------	--

506WintEGChicory1600




	Green	Dead
Feed On Offer (kg/ha):	1600	0
Digestibility (%):	82	NA
Equivalent to		
Metabolizable Energy (MJ/kg):	12.4	NA
Sheep Intake (MJ/day):	14.9	
50kg dry, Condition score 3		
Crude Protein (%):	25	NA
Pasture Height (cm):	5	NA
Ground Cover (%):	100	
Legume (%):	0	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Chicory	

Comments	Dead stems not analysed, Photos and data supplied by EverGraze project
----------	--



507WintEGChicory2700




	Green	Dead
Feed On Offer (kg/ha):	2700	0
Digestibility (%): Equivalent to	82	NA
Metabolizable Energy (MJ/kg):	12.4	NA
Sheep Intake (MJ/day): 50kg dry, Condition score 3	16.3	
Crude Protein (%):	25	NA
Pasture Height (cm):	8	NA
Ground Cover (%):	100	
Legume (%):	15	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Chicory	

Comments	Dead stems not analysed, Photos and data supplied by EverGraze project
----------	--

509wintAMEGLucerne1300



	Green	Dead
Feed On Offer (kg/ha):	1300	0
Digestibility (%): Equivalent to	80	NA
Metabolizable Energy (MJ/kg):	12.2	NA
Sheep Intake (MJ/day): 50kg dry, Condition score 3	16.6	
Crude Protein (%):	30	NA
Pasture Height (cm):	5	NA
Ground Cover (%):	100	
Legume (%):	85	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Lucerne	


Comments	Dead stems not analysed, Photos and data supplied by EverGraze project
----------	--



Lifetime Ewe Management - FOO Library Results  
Vic Cool Temperate High FOO photos

50Vic-LTE2500




	Green	Dead
Feed On Offer (kg/ha):	2,500	200
Digestibility (%):	80	55
Equivalent to		
Metabolizable Energy (MJ/kg):	12.8	8.0
Sheep Intake (MJ/day):	16	
50kg dry, Condition score 3		
Crude Protein (%):	25	12.0
Pasture Height (cm):	5	3.0
Ground Cover (%):	100	
Legume (%):	15	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Perennial ryegrass	

Comments	
----------	--

510wintAMEGLucerne2500




	Green	Dead
Feed On Offer (kg/ha):	2500	0
Digestibility (%):	80	NA
Equivalent to		
Metabolizable Energy (MJ/kg):	12.2	NA
Sheep Intake (MJ/day):	17.2	
50kg dry, Condition score 3		
Crude Protein (%):	30	NA
Pasture Height (cm):	6	NA
Ground Cover (%):	100	
Legume (%):	70	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Lucerne	

Comments	Dead stems not analysed, Photos and data supplied by EverGraze project
----------	--



511wintAMEGLucerne3100




	Green	Dead
Feed On Offer (kg/ha):	3100	0
Digestibility (%):	80	NA
Equivalent to		
Metabolizable Energy (MJ/kg):	12.2	NA
Sheep Intake (MJ/day):	18.1	
50kg dry, Condition score 3		
Crude Protein (%):	30	NA
Pasture Height (cm):	8	NA
Ground Cover (%):	100	
Legume (%):	80	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Lucerne	

Comments	Dead stems not analysed, Photos and data supplied by EverGraze project
----------	--

512wintAMEGLucerne3600




	Green	Dead
Feed On Offer (kg/ha):	3600	0
Digestibility (%):	80	NA
Equivalent to		
Metabolizable Energy (MJ/kg):	12.2	NA
Sheep Intake (MJ/day):	18.6	
50kg dry, Condition score 3		
Crude Protein (%):	30	NA
Pasture Height (cm):	10	NA
Ground Cover (%):	100	
Legume (%):	90	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Lucerne	

Comments	Dead stems not analysed, Photos and data supplied by EverGraze project
----------	--



532MShighwint13P1020322




	Green	Dead
Feed On Offer (kg/ha):	1700	300
Digestibility (%):	67	56
Equivalent to		
Metabolizable Energy (MJ/kg):	9.9	8.1
Sheep Intake (MJ/day):	13.3	
50kg dry, Condition score 3		
Crude Protein (%):	12	6
Pasture Height (cm):	7	4
Ground Cover (%):	100	
Legume (%):	5	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Onion grass	

Comments	
----------	--

58-MS-P1020064




	Green	Dead
Feed On Offer (kg/ha):	2,700	600
Digestibility (%):	72	55
Equivalent to		
Metabolizable Energy (MJ/kg):	10.8	7.8
Sheep Intake (MJ/day):	16	
50kg dry, Condition score 3		
Crude Protein (%):	19	9.4
Pasture Height (cm):	20	15.0
Ground Cover (%):	100	
Legume (%):	0	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Cocksfoot	


Comments	
----------	--



Lifetime Ewe Management - FOO Library Results  
Vic Cool Temperate High FOO photos


59-MS-P1020068




	Green	Dead
Feed On Offer (kg/ha):	2,000	550
Digestibility (%):	71	52
Equivalent to		
Metabolizable Energy (MJ/kg):	10.5	7.3
Sheep Intake (MJ/day):	15	
50kg dry, Condition score 3		
Crude Protein (%):	18	7.7
Pasture Height (cm):	14	12.0
Ground Cover (%):	100	
Legume (%):	0	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Cocksfoot	

Comments	
----------	--

60-MS-P1020070



	Green	Dead
Feed On Offer (kg/ha):	4,000	750
Digestibility (%):	72	NA
Equivalent to		
Metabolizable Energy (MJ/kg):	10.7	NA
Sheep Intake (MJ/day):	15	
50kg dry, Condition score 3		
Crude Protein (%):	9	NA
Pasture Height (cm):	35	18.0
Ground Cover (%):	100	
Legume (%):	5	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Tall fescue	


Comments	
----------	--



Lifetime Ewe Management - FOO Library Results  
Vic Cool Temperate High FOO photos

61-MS-P1020084




	Green	Dead
Feed On Offer (kg/ha):	900	400
Digestibility (%):	69	NA
Equivalent to		
Metabolizable Energy (MJ/kg):	10.2	NA
Sheep Intake (MJ/day):	13	
50kg dry, Condition score 3		
Crude Protein (%):	27	NA
Pasture Height (cm):	8	2.0
Ground Cover (%):	100	
Legume (%):	0	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Tall fescue	

Comments	
----------	--

62-MS-P1020080



	Green	Dead
Feed On Offer (kg/ha):	1,600	600
Digestibility (%):	69	NA
Equivalent to		
Metabolizable Energy (MJ/kg):	10.2	NA
Sheep Intake (MJ/day):	15	
50kg dry, Condition score 3		
Crude Protein (%):	19	NA
Pasture Height (cm):	12	10.0
Ground Cover (%):	100	
Legume (%):	0	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Tall fescue	


Comments	
----------	--



Lifetime Ewe Management - FOO Library Results  
Vic Cool Temperate High FOO photos

622EG-Aug1Kk1300




	Green	Dead
Feed On Offer (kg/ha):	1200	100
Digestibility (%):	79	53
Equivalent to		
Metabolizable Energy (MJ/kg):	12.1	7.5
Sheep Intake (MJ/day):	15.3	
50kg dry, Condition score 3		
Crude Protein (%):	29	12
Pasture Height (cm):	2	2
Ground Cover (%):	100	
Legume (%):	95	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Sub clover	

Comments	Photos and FeedTest data provided by the EverGraze project
----------	--

623EG-Aug1Kk2100



	Green	Dead
Feed On Offer (kg/ha):	2100	0
Digestibility (%):	75	NA
Equivalent to		
Metabolizable Energy (MJ/kg):	11.7	NA
Sheep Intake (MJ/day):	16.7	
50kg dry, Condition score 3		
Crude Protein (%):	27	NA
Pasture Height (cm):	5	NA
Ground Cover (%):	100	
Legume (%):	70	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Sub clover	


Comments	Photos and FeedTest data provided by the EverGraze project
----------	--



Lifetime Ewe Management - FOO Library Results  
Vic Cool Temperate High FOO photos

628EG-JulyAv1900




	Green	Dead
Feed On Offer (kg/ha):	1900	0
Digestibility (%):	85	NA
Equivalent to		
Metabolizable Energy (MJ/kg):	13.1	NA
Sheep Intake (MJ/day):	15.1	
50kg dry, Condition score 3		
Crude Protein (%):	26	NA
Pasture Height (cm):	5	NA
Ground Cover (%):	100	
Legume (%):	5	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Perennial ryegrass	

Comments	Photos and FeedTest data provided by the EverGraze project
----------	--

629EG-JulyAv2700



	Green	Dead
Feed On Offer (kg/ha):	2700	0
Digestibility (%):	85	NA
Equivalent to		
Metabolizable Energy (MJ/kg):	13.1	NA
Sheep Intake (MJ/day):	16	
50kg dry, Condition score 3		
Crude Protein (%):	26	NA
Pasture Height (cm):	8	NA
Ground Cover (%):	100	
Legume (%):	2	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Perennial ryegrass	


Comments	Photos and FeedTest data provided by the EverGraze project
----------	--



Lifetime Ewe Management - FOO Library Results  
Vic Cool Temperate High FOO photos

630EG-JulyTf1900




	Green	Dead
Feed On Offer (kg/ha):	1900	0
Digestibility (%):	85	NA
Equivalent to		
Metabolizable Energy (MJ/kg):	13.1	NA
Sheep Intake (MJ/day):	16.1	
50kg dry, Condition score 3		
Crude Protein (%):	26	NA
Pasture Height (cm):	6	NA
Ground Cover (%):	100	
Legume (%):	30	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Tall fescue	

Comments	Photos and FeedTest data provided by the EverGraze project
----------	--

631EG-JulyTf3400



	Green	Dead
Feed On Offer (kg/ha):	3400	0
Digestibility (%):	85	NA
Equivalent to		
Metabolizable Energy (MJ/kg):	13.1	NA
Sheep Intake (MJ/day):	17	
50kg dry, Condition score 3		
Crude Protein (%):	26	NA
Pasture Height (cm):	10	NA
Ground Cover (%):	100	
Legume (%):	30	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Tall fescue	


Comments	Photos and FeedTest data provided by the EverGraze project
----------	--



Lifetime Ewe Management - FOO Library Results  
Vic Cool Temperate High FOO photos

633EG-Aug1Bq2300




	Green	Dead
Feed On Offer (kg/ha):	2200	100
Digestibility (%):	85	57
Equivalent to		
Metabolizable Energy (MJ/kg):	13.1	8
Sheep Intake (MJ/day):	16.1	
50kg dry, Condition score 3		
Crude Protein (%):	26	11
Pasture Height (cm):	7	3
Ground Cover (%):	100	
Legume (%):	10	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Perennial ryegrass	

Comments	Photos and FeedTest data provided by the EverGraze project, Banquet Tetraploid
----------	--

636EG-Aug1Lu2200



	Green	Dead
Feed On Offer (kg/ha):	2200	0
Digestibility (%):	85	NA
Equivalent to		
Metabolizable Energy (MJ/kg):	13	NA
Sheep Intake (MJ/day):	15.8	
50kg dry, Condition score 3		
Crude Protein (%):	25	NA
Pasture Height (cm):	7	NA
Ground Cover (%):	100	
Legume (%):	5	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Cape weed	


Comments	Photos and FeedTest data provided by the EverGraze project
----------	--



Lifetime Ewe Management - FOO Library Results  
Vic Cool Temperate High FOO photos

637EG-Aug1Lu2900




	Green	Dead
Feed On Offer (kg/ha):	2900	0
Digestibility (%):	85	NA
Equivalent to		
Metabolizable Energy (MJ/kg):	13	NA
Sheep Intake (MJ/day):	16.2	
50kg dry, Condition score 3		
Crude Protein (%):	25	NA
Pasture Height (cm):	9	NA
Ground Cover (%):	100	
Legume (%):	5	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Cape weed	

Comments	Photos and FeedTest data provided by the EverGraze project
----------	--

639EG-Aug1Tf1600



	Green	Dead
Feed On Offer (kg/ha):	1600	0
Digestibility (%):	85	NA
Equivalent to		
Metabolizable Energy (MJ/kg):	13	NA
Sheep Intake (MJ/day):	14.8	
50kg dry, Condition score 3		
Crude Protein (%):	25	NA
Pasture Height (cm):	4	NA
Ground Cover (%):	100	
Legume (%):	15	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Tall fescue	


Comments	Photos and FeedTest data provided by the EverGraze project
----------	--



Lifetime Ewe Management - FOO Library Results  
Vic Cool Temperate High FOO photos

64-MS-P1020091




	Green	Dead
Feed On Offer (kg/ha):	3,500	500
Digestibility (%):	47	41
Equivalent to		
Metabolizable Energy (MJ/kg):	6.4	2.6
Sheep Intake (MJ/day):	5	
50kg dry, Condition score 3		
Crude Protein (%):	11	5.2
Pasture Height (cm):	14	4.0
Ground Cover (%):	100	
Legume (%):	0	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Onion grass	

Comments	
----------	--

642EG-JuneTf1300



	Green	Dead
Feed On Offer (kg/ha):	1200	100
Digestibility (%):	85	57
Equivalent to		
Metabolizable Energy (MJ/kg):	13	8
Sheep Intake (MJ/day):	15	
50kg dry, Condition score 3		
Crude Protein (%):	25	11
Pasture Height (cm):	3	4
Ground Cover (%):	95	
Legume (%):	5	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Tall fescue	


Comments	Photos and FeedTest data provided by the EverGraze project
----------	--



Lifetime Ewe Management - FOO Library Results  
Vic Cool Temperate High FOO photos

66-MS-P1020098




	Green	Dead
Feed On Offer (kg/ha):	1,200	300
Digestibility (%):	50	39
Equivalent to		
Metabolizable Energy (MJ/kg):	8.0	5.3
Sheep Intake (MJ/day):	5	
50kg dry, Condition score 3		
Crude Protein (%):	13	9.2
Pasture Height (cm):	7	7.0
Ground Cover (%):	100	
Legume (%):	0	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Bent grass	

Comments	Low and very low samples combined for analysis
----------	--

67-MS-P1020099



	Green	Dead
Feed On Offer (kg/ha):	1,600	450
Digestibility (%):	48	36
Equivalent to		
Metabolizable Energy (MJ/kg):	6.7	4.2
Sheep Intake (MJ/day):	4	
50kg dry, Condition score 3		
Crude Protein (%):	11	6.5
Pasture Height (cm):	8	3.0
Ground Cover (%):	100	
Legume (%):	0	
State:	VIC	
Location:	South West	
Climate Zone:	Cool Temperate	
Major Species:	Onion grass	

Comments	
----------	--