

# Feed on Offer Photo Library

Use in conjunction with the Lifetime Ewe Management feed budgeting tables available at [lifetimewool.com.au](http://lifetimewool.com.au)



## Cereal crop FOO values

Grazing cereals is common in many regions. The following relationships between Green cereal height and the FOO values have been supplied by the Grain and Graze project. Full details of grazing and use of cereals by livestock can be found at [www.grainandgraze2.com.au](http://www.grainandgraze2.com.au)

If the crop is less than 25 cm tall, sown at 17.5 cm spacing, use the relationship below between crop type, height and yield. For all green cereals, the energy content is usually 11-12 MJ/kg (72-78% Digestibility).

Wheat:	Each 1 cm = 60 kg/ha, Feed on Offer	For 15 cm rows add 10% to the FOO values.
Barley:	Each 1 cm = 75 kg/ha, Feed On Offer	For 20 cm rows reduce the FOO values by 10%.
Triticale:	Each 1 cm = 65 kg/ha, Feed On Offer	

## Lifetime Ewe Management

The FOO Library was developed by Australian Wool Innovation and the Rural Industries Skills Training Centre to help people undertaking the Lifetime Ewe Management course. Further details can be found at;

Australian Wool Innovation: [www.wool.com](http://www.wool.com)

RIST Centre: [www.rist.com.au](http://www.rist.com.au)

Lifetime Ewe Management: [www.rist.com.au/lifetime\\_ewe\\_management](http://www.rist.com.au/lifetime_ewe_management)

## FOO Library Collaborators

The FOO Library project was established and managed by Geoffrey Saul, PSA Services Hamilton. Darren Gordon, Coordinator of Lifetime Ewe Management managed interaction between RIST, Lifetime Ewe and the Library. Assistance and comments were provided by Anita Morant, Kirsty Kennedy and Tim Prance.

Many public and private research and extension officers across Australia assisted in the project including:

Victoria; Margaret Raeside, Steve Clark, Lisa Warn, Anita Morant, Meredith Mitchell, Ken Wilson

New South Wales; Luke Harrison, Ben Watts, Sue Boschma, Garry Armstrong

Queensland; David Counsell

Western Australia; Eric Dobbe, Rodger Bryant, Matthew Young, Jonathon England, Mandy Curnow, Mike Hyder

South Australia; Tim Prance, Daniel Schuppan

AWI, RIST, Lifetime Ewe Management, PSA Services and the individual officers who provided photos and data for the library, accept no liability whatsoever by reason of negligence or otherwise arising from the use of or release of this information or any part of it.




Lifetime Ewe Management






321edALBKLDSCN1675




	Green	Dead
Feed On Offer (kg/ha):	70	170
Digestibility (%):	70	47
Equivalent to		
Metabolizable Energy (MJ/kg):	11	6.4
Sheep Intake (MJ/day):	7.9	
50kg dry, Condition score 3		
Crude Protein (%):	23	11.9
Pasture Height (cm):	2	1
Ground Cover (%):	90	
Legume (%):	0	
State:	WA	
Location:	South Coast	
Climate Zone:	Mediterranean	
Major Species:	Kikuyu	

Comments	
----------	--

322edALBKMDSCN1677




	Green	Dead
Feed On Offer (kg/ha):	160	260
Digestibility (%):	70	47
Equivalent to		
Metabolizable Energy (MJ/kg):	11	6.4
Sheep Intake (MJ/day):	7.8	
50kg dry, Condition score 3		
Crude Protein (%):	23	11.9
Pasture Height (cm):	2	1
Ground Cover (%):	95	
Legume (%):	0	
State:	WA	
Location:	South Coast	
Climate Zone:	Mediterranean	
Major Species:	Kikuyu	

Comments	
----------	--



323edALBKHDSCN1678




	Green	Dead
Feed On Offer (kg/ha):	200	240
Digestibility (%):	70	47
Equivalent to		
Metabolizable Energy (MJ/kg):	11	6.4
Sheep Intake (MJ/day):	9.4	
50kg dry, Condition score 3		
Crude Protein (%):	23	11.9
Pasture Height (cm):	3	1
Ground Cover (%):	95	
Legume (%):	0	
State:	WA	
Location:	South Coast	
Climate Zone:	Mediterranean	
Major Species:	Kikuyu	

Comments	
----------	--

324edALBKVHSCN1680




	Green	Dead
Feed On Offer (kg/ha):	350	620
Digestibility (%):	70	47
Equivalent to		
Metabolizable Energy (MJ/kg):	11	6.4
Sheep Intake (MJ/day):	10.8	
50kg dry, Condition score 3		
Crude Protein (%):	23	11.9
Pasture Height (cm):	4	1
Ground Cover (%):	100	
Legume (%):	0	
State:	WA	
Location:	South Coast	
Climate Zone:	Mediterranean	
Major Species:	Kikuyu	

Comments	
----------	--




325edSCKLDSCN1688




	Green	Dead
Feed On Offer (kg/ha):	620	1,300
Digestibility (%):	67	58
Equivalent to		
Metabolizable Energy (MJ/kg):	9.8	8.3
Sheep Intake (MJ/day):	9.6	
50kg dry, Condition score 3		
Crude Protein (%):	10	6.3
Pasture Height (cm):	2	2
Ground Cover (%):	100	
Legume (%):	0	
State:	WA	
Location:	South Coast	
Climate Zone:	Mediterranean	
Major Species:	Kikuyu	

Comments	
----------	--

326edSCKMDSCN1689





	Green	Dead
Feed On Offer (kg/ha):	1,190	1,720
Digestibility (%):	67	58
Equivalent to		
Metabolizable Energy (MJ/kg):	9.8	8.3
Sheep Intake (MJ/day):	11.2	
50kg dry, Condition score 3		
Crude Protein (%):	10	6.3
Pasture Height (cm):	3	3
Ground Cover (%):	100	
Legume (%):	0	
State:	WA	
Location:	South Coast	
Climate Zone:	Mediterranean	
Major Species:	Kikuyu	

Comments	
----------	--




327edSCKHHigh




	Green	Dead
Feed On Offer (kg/ha):	1,270	1,830
Digestibility (%):	69	56
Equivalent to		
Metabolizable Energy (MJ/kg):	10.2	8.1
Sheep Intake (MJ/day):	12.6	
50kg dry, Condition score 3		
Crude Protein (%):	11	6.8
Pasture Height (cm):	4	5
Ground Cover (%):	100	
Legume (%):	0	
State:	WA	
Location:	South Coast	
Climate Zone:	Mediterranean	
Major Species:	Kikuyu	

Comments	
----------	--

328edSCKVHvHigh




	Green	Dead
Feed On Offer (kg/ha):	1,300	2,650
Digestibility (%):	69	56
Equivalent to		
Metabolizable Energy (MJ/kg):	10.2	8.1
Sheep Intake (MJ/day):	12.5	
50kg dry, Condition score 3		
Crude Protein (%):	11	6.8
Pasture Height (cm):	5	7
Ground Cover (%):	100	
Legume (%):	0	
State:	WA	
Location:	South Coast	
Climate Zone:	Mediterranean	
Major Species:	Kikuyu	

Comments	
----------	--



329edNSLLDSCN1701




	Green	Dead
Feed On Offer (kg/ha):	290	0
Digestibility (%):	66	NA
Equivalent to		
Metabolizable Energy (MJ/kg):	9.6	NA
Sheep Intake (MJ/day):	12.6	
50kg dry, Condition score 3		
Crude Protein (%):	22	NA
Pasture Height (cm):	4	1
Ground Cover (%):	5	
Legume (%):	100	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Lucerne	

Comments	Better than average summer rainfall conditions
----------	--

330edNSLMDSCN1704




	Green	Dead
Feed On Offer (kg/ha):	640	30
Digestibility (%):	66	50
Equivalent to		
Metabolizable Energy (MJ/kg):	9.6	NA
Sheep Intake (MJ/day):	16	
50kg dry, Condition score 3		
Crude Protein (%):	22	10.1
Pasture Height (cm):	10	1
Ground Cover (%):	20	
Legume (%):	100	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Lucerne	

Comments	Better than average summer rainfall conditions
----------	--



331edNSLHDSCN1707




	Green	Dead
Feed On Offer (kg/ha):	890	20
Digestibility (%):	66	50
Equivalent to		
Metabolizable Energy (MJ/kg):	9.6	NA
Sheep Intake (MJ/day):	16.2	
50kg dry, Condition score 3		
Crude Protein (%):	22	10.1
Pasture Height (cm):	10	1
Ground Cover (%):	75	
Legume (%):	100	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Lucerne	

Comments	Better than average summer rainfall conditions
----------	--

332edNSLVHDSN1710



	Green	Dead
Feed On Offer (kg/ha):	1,870	50
Digestibility (%):	66	50
Equivalent to		
Metabolizable Energy (MJ/kg):	9.6	NA
Sheep Intake (MJ/day):	16.7	
50kg dry, Condition score 3		
Crude Protein (%):	22	10.1
Pasture Height (cm):	12	1
Ground Cover (%):	60	
Legume (%):	100	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Lucerne	


Comments	Better than average summer rainfall conditions
----------	--



Lifetime Ewe Management - FOO Library Results  
WA Summer FOO

355mhDLRZ190213stubble1000\_1




	Green	Dead
Feed On Offer (kg/ha):	0	1,000
Digestibility (%):	NA	30
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	2.5
Sheep Intake (MJ/day):	0.1	
50kg dry, Condition score 3		
Crude Protein (%):	NA	0.7
Pasture Height (cm):	NA	1
Ground Cover (%):	20	
Legume (%):	0	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Wheat stubble	

Comments	
----------	--

356mhDLRZ190213stubble4000\_2



	Green	Dead
Feed On Offer (kg/ha):	0	4,000
Digestibility (%):	NA	30
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	3.4
Sheep Intake (MJ/day):	0	
50kg dry, Condition score 3		
Crude Protein (%):	NA	0.1
Pasture Height (cm):	NA	4
Ground Cover (%):	95	
Legume (%):	0	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Wheat stubble	


Comments	
----------	--



Lifetime Ewe Management - FOO Library Results  
WA Summer FOO

357mhDLRZ190213stubble7000\_4




	Green	Dead
Feed On Offer (kg/ha):	0	7,000
Digestibility (%):	NA	32
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	3.8
Sheep Intake (MJ/day):	0.7	
50kg dry, Condition score 3		
Crude Protein (%):	NA	0.8
Pasture Height (cm):	NA	5
Ground Cover (%):	100	
Legume (%):	0	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Wheat stubble	

Comments	
----------	--

358mhDLRZ190213yr1pasture1500\_2



	Green	Dead
Feed On Offer (kg/ha):	0	1,500
Digestibility (%):	NA	30
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	2.8
Sheep Intake (MJ/day):	0.4	
50kg dry, Condition score 3		
Crude Protein (%):	NA	3
Pasture Height (cm):	NA	1
Ground Cover (%):	90	
Legume (%):	0	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Volunteer annuals	


Comments	1st yr pasture after wheat
----------	----------------------------



Lifetime Ewe Management - FOO Library Results  
WA Summer FOO

359mhDLRZ190213yr1pasture2600\_2




	Green	Dead
Feed On Offer (kg/ha):	0	2,600
Digestibility (%):	NA	30
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	3.4
Sheep Intake (MJ/day):	0.5	
50kg dry, Condition score 3		
Crude Protein (%):	NA	3
Pasture Height (cm):	NA	1.5
Ground Cover (%):	100	
Legume (%):	0	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Volunteer annuals	

Comments	1st yr pasture after wheat
----------	----------------------------

360mhMtBHRZ080213clover1000\_1




	Green	Dead
Feed On Offer (kg/ha):	0	1,000
Digestibility (%):	NA	35
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	4.3
Sheep Intake (MJ/day):	0.9	
50kg dry, Condition score 3		
Crude Protein (%):	NA	2
Pasture Height (cm):	NA	1.5
Ground Cover (%):	95	
Legume (%):	100	
State:	WA	
Location:	South Coast	
Climate Zone:	Mediterranean	
Major Species:	Sub Clover	


Comments	Clover burr from separated and analysed
----------	---



Lifetime Ewe Management - FOO Library Results  
WA Summer FOO

361mhMtBHRZ080213clover1300\_2




	Green	Dead
Feed On Offer (kg/ha):	0	1,310
Digestibility (%):	NA	35
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	4.5
Sheep Intake (MJ/day):	1.4	
50kg dry, Condition score 3		
Crude Protein (%):	NA	7
Pasture Height (cm):	NA	1.5
Ground Cover (%):	100	
Legume (%):	100	
State:	WA	
Location:	South Coast	
Climate Zone:	Mediterranean	
Major Species:	Sub Clover	

Comments	Herbage bulked across low-high FOO samples
----------	--

362mhMtBHRZ080213ryegrass900\_3



	Green	Dead
Feed On Offer (kg/ha):	0	900
Digestibility (%):	NA	43
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	5.7
Sheep Intake (MJ/day):	2.9	
50kg dry, Condition score 3		
Crude Protein (%):	NA	4
Pasture Height (cm):	NA	2
Ground Cover (%):	100	
Legume (%):	0	
State:	WA	
Location:	South Coast	
Climate Zone:	Mediterranean	
Major Species:	Annual ryegrass	


Comments	
----------	--



Lifetime Ewe Management - FOO Library Results  
WA Summer FOO

363mhMtBHRZ080213ryegrass1100\_2




	Green	Dead
Feed On Offer (kg/ha):	0	1,100
Digestibility (%):	NA	43
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	5.7
Sheep Intake (MJ/day):	3.9	
50kg dry, Condition score 3		
Crude Protein (%):	NA	4
Pasture Height (cm):	NA	3.5
Ground Cover (%):	100	
Legume (%):	0	
State:	WA	
Location:	South Coast	
Climate Zone:	Mediterranean	
Major Species:	Annual ryegrass	

Comments	
----------	--

364mhMtBHRZ080213ryegrass 1400\_2




	Green	Dead
Feed On Offer (kg/ha):	0	1,400
Digestibility (%):	NA	42
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	5.6
Sheep Intake (MJ/day):	4	
50kg dry, Condition score 3		
Crude Protein (%):	NA	4
Pasture Height (cm):	NA	4
Ground Cover (%):	100	
Legume (%):	0	
State:	WA	
Location:	South Coast	
Climate Zone:	Mediterranean	
Major Species:	Annual ryegrass	

Comments	
----------	--



365mhMtBHRZ080213ryegrass3700\_3




	Green	Dead
Feed On Offer (kg/ha):	0	3,700
Digestibility (%):	NA	43
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	5.8
Sheep Intake (MJ/day):	6	
50kg dry, Condition score 3		
Crude Protein (%):	NA	4.4
Pasture Height (cm):	NA	10
Ground Cover (%):	100	
Legume (%):	0	
State:	WA	
Location:	South Coast	
Climate Zone:	Mediterranean	
Major Species:	Annual ryegrass	

Comments	
----------	--

366mhMtBHRZ080213ryegrass4300\_4



	Green	Dead
Feed On Offer (kg/ha):	0	4,300
Digestibility (%):	NA	43
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	5.8
Sheep Intake (MJ/day):	6.9	
50kg dry, Condition score 3		
Crude Protein (%):	NA	4.4
Pasture Height (cm):	NA	18
Ground Cover (%):	100	
Legume (%):	0	
State:	WA	
Location:	South Coast	
Climate Zone:	Mediterranean	
Major Species:	Annual ryegrass	


Comments	Herbage bulked across low-high FOO samples
----------	--



Lifetime Ewe Management - FOO Library Results  
WA Summer FOO

367rb1stHFoophotos-LRZ-WA-270213004




	Green	Dead
Feed On Offer (kg/ha):	0	3,140
Digestibility (%):	NA	49
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	6.7
Sheep Intake (MJ/day):	5.6	
50kg dry, Condition score 3		
Crude Protein (%):	NA	5.5
Pasture Height (cm):	NA	2
Ground Cover (%):	100	
Legume (%):	0	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Volunteer annuals	

Comments	1st year pasture-grazed, previous years stubble removed before analysis
----------	---

368rbstMFOophotos-LRZ-WA-270213005



	Green	Dead
Feed On Offer (kg/ha):	0	2,140
Digestibility (%):	NA	45
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	6.2
Sheep Intake (MJ/day):	3.6	
50kg dry, Condition score 3		
Crude Protein (%):	NA	6.3
Pasture Height (cm):	NA	1.5
Ground Cover (%):	100	
Legume (%):	0	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Volunteer annuals	


Comments	1st year pasture-grazed, previous years stubble removed before analysis
----------	---



Lifetime Ewe Management - FOO Library Results  
WA Summer FOO

369rb1stLFoophotos-LRZ-WA-270213007




	Green	Dead
Feed On Offer (kg/ha):	0	1,140
Digestibility (%):	NA	43
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	5.7
Sheep Intake (MJ/day):	2.1	
50kg dry, Condition score 3		
Crude Protein (%):	NA	7.7
Pasture Height (cm):	NA	1
Ground Cover (%):	50	
Legume (%):	0	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Volunteer annuals	

Comments	1st year pasture-grazed, previous years stubble removed before analysis
----------	---

370rb2ndHFoophotos-LRZ-WA-270213015



	Green	Dead
Feed On Offer (kg/ha):	0	2,710
Digestibility (%):	NA	49
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	6.7
Sheep Intake (MJ/day):	3	
50kg dry, Condition score 3		
Crude Protein (%):	NA	1.9
Pasture Height (cm):	NA	4
Ground Cover (%):	100	
Legume (%):	0	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Volunteer annuals	


Comments	2nd year pasture-grazed, previous years stubble removed before analysis
----------	---



Lifetime Ewe Management - FOO Library Results  
WA Summer FOO

371rb2ndLFoophotos-LRZ-WA-270213020




	Green	Dead
Feed On Offer (kg/ha):	0	1,070
Digestibility (%):	NA	46
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	6.3
Sheep Intake (MJ/day):	3.1	
50kg dry, Condition score 3		
Crude Protein (%):	NA	4.2
Pasture Height (cm):	NA	1.5
Ground Cover (%):	60	
Legume (%):	0	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Volunteer annuals	

Comments	2nd year pasture-grazed, previous years stubble removed before analysis
----------	---

372rb2ndMFoophotos-LRZ-WA-270213019




	Green	Dead
Feed On Offer (kg/ha):	0	2,330
Digestibility (%):	NA	49
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	6.8
Sheep Intake (MJ/day):	2.3	
50kg dry, Condition score 3		
Crude Protein (%):	NA	1.9
Pasture Height (cm):	NA	2
Ground Cover (%):	90	
Legume (%):	0	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Volunteer annuals	

Comments	2nd year pasture-grazed, previous years stubble removed before analysis
----------	---



373rb2ndVHFoophotos-LRZ-WA-270213013




	Green	Dead
Feed On Offer (kg/ha):	0	2,590
Digestibility (%):	NA	48
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	6.7
Sheep Intake (MJ/day):	3.6	
50kg dry, Condition score 3		
Crude Protein (%):	NA	2
Pasture Height (cm):	NA	6
Ground Cover (%):	100	
Legume (%):	0	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Volunteer annuals	

Comments	2nd year pasture-grazed, previous years stubble removed before analysis
----------	---

374mcHigh0202203-3200-2




	Green	Dead
Feed On Offer (kg/ha):	0	3,210
Digestibility (%):	NA	46
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	6.2
Sheep Intake (MJ/day):	6.6	
50kg dry, Condition score 3		
Crude Protein (%):	NA	6
Pasture Height (cm):	NA	7
Ground Cover (%):	100	
Legume (%):	5	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Cape weed	


Comments	Grazed, 2nd yr from crop
----------	--------------------------



Lifetime Ewe Management - FOO Library Results  
WA Summer FOO

375mc1stLow02022013-230-2




	Green	Dead
Feed On Offer (kg/ha):	0	230
Digestibility (%):	NA	55
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	7.9
Sheep Intake (MJ/day):	3.1	
50kg dry, Condition score 3		
Crude Protein (%):	NA	7.1
Pasture Height (cm):	NA	1
Ground Cover (%):	90	
Legume (%):	0	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Volunteer annuals	

Comments	1st year pasture, stubble removed before testing
----------	--

376mcMed2nd020202013-1460-2



	Green	Dead
Feed On Offer (kg/ha):	0	1,430
Digestibility (%):	NA	48
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	6.6
Sheep Intake (MJ/day):	4.4	
50kg dry, Condition score 3		
Crude Protein (%):	NA	10.7
Pasture Height (cm):	NA	2
Ground Cover (%):	90	
Legume (%):	25	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Sub Clover	

Comments	Much clover seed left behind on ground
----------	--




# Lifetime Ewe Management - FOO Library Results

## WA Summer FOO

377mc2ndH-Med02022013-2210-1




	Green	Dead
Feed On Offer (kg/ha):	0	2,210
Digestibility (%):	NA	45
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	6.2
Sheep Intake (MJ/day):	5.1	
50kg dry, Condition score 3		
Crude Protein (%):	NA	2.5
Pasture Height (cm):	NA	12
Ground Cover (%):	100	
Legume (%):	0	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Volunteer annuals	

Comments	2nd year pasture, stubble removed before testing
----------	--

378mc2ndMed02022013-2260-2





	Green	Dead
Feed On Offer (kg/ha):	0	2,260
Digestibility (%):	NA	56
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	8
Sheep Intake (MJ/day):	7.6	
50kg dry, Condition score 3		
Crude Protein (%):	NA	7.2
Pasture Height (cm):	NA	2
Ground Cover (%):	100	
Legume (%):	50	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Volunteer annuals	

Comments	Grazed, 2nd year from crop
----------	----------------------------



379mc1stMed02022013-780-1




	Green	Dead
Feed On Offer (kg/ha):	0	780
Digestibility (%):	NA	53
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	7.5
Sheep Intake (MJ/day):	7.5	
50kg dry, Condition score 3		
Crude Protein (%):	NA	5.2
Pasture Height (cm):	NA	5
Ground Cover (%):	100	
Legume (%):	5	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Volunteer annuals	

Comments	1st year pasture, stubble removed before testing
----------	--

380mc2ndMed02022013-1080-1



	Green	Dead
Feed On Offer (kg/ha):	0	1,080
Digestibility (%):	NA	51
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	7.1
Sheep Intake (MJ/day):	4.7	
50kg dry, Condition score 3		
Crude Protein (%):	NA	8.5
Pasture Height (cm):	NA	2
Ground Cover (%):	100	
Legume (%):	5	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Sub Clover	


Comments	2nd year pasture, stubble removed before testing
----------	--



Lifetime Ewe Management - FOO Library Results  
WA Summer FOO

381mcGRLow02022013-900-1



	Green	Dead
Feed On Offer (kg/ha):	0	900
Digestibility (%):	NA	54
Equivalent to		
Metabolizable Energy (MJ/kg):	NA	7.7
Sheep Intake (MJ/day):	5.3	
50kg dry, Condition score 3		
Crude Protein (%):	NA	8.3
Pasture Height (cm):	NA	2
Ground Cover (%):	80	
Legume (%):	5	
State:	WA	
Location:	Great Southern	
Climate Zone:	Mediterranean	
Major Species:	Barley grass	

Comments	
----------	--